Fairway Height Bentgrass Cultivar Trial

RFR-A1924

Nick Christians, university professor Adam Thoms, assistant professor Ben Pease, research associate Isaac Mertz, graduate research assistant Department of Horticulture

Introduction

This is the fifth year of data collection from the fairway height bentgrass trial established in the fall of 2014.

Materials and Methods

The area was maintained at a 0.4-in. mowing height. This is a National Turfgrass Evaluation (NTEP) trial and is being conducted at several research stations in the United States. It contains 17 of the newest cultivars and a number of experimental cultivars. The cultivars are maintained with 4 lb of N/1,000 ft² per growing season. Fungicides are used as needed in a preventive program. Herbicides and insecticides also are applied as needed. Irrigation was applied as needed to prevent moisture stress.

Results and Discussion

The visual quality was evaluated monthly in 2019 from May through October (Table 1). The values listed under each month in Table 1 are the averages of visual quality ratings made on three replicated plots. Visual quality was based on a scale of 9 to 1: 9 = best quality, 6 = lowest acceptable quality, and 1 = worst quality. The annual average of the monthly data for each cultivar was calculated and is listed in the last column (Mean). Data for dollar spot (DS) also were collected in July. The scale is 9 = no disease and 1 worst. The last row states the LSD (least significant difference), which is a statistical measurement of how widely the data in each column must vary before these are considered to be different from one another. Genetic color was rated using a 9 to 1 scale with 9 = dark and 1 =light green.

Acknowledgements

Appreciation is extended to the NTEP organization for funding to conduct this project.

	Quality ¹ 2019										
Cultivar	Color ²	Apr	May	June	July	Aug	Sept	Oct	Mean	DS ³ July	DS ³ Sept
DLFPS-AT/3026	7					6	<u> </u>	6			<u> </u>
DLFPS-A1/5020	7	6	6	6	6	0	5	0	6	6	5
7	1	1	/	1	6	7	6	1	7	1	5
Penncross	6	5	5	5	6	6	6	6	6	5	5
Crystal Blue Links	7	6	7	6	6	7	5	6	6	6	4
Greentime	7	6	7	6	6	7	6	6	6	5	5
L-93XD	7	6	6	7	7	7	7	7	7	8	7
Armor	7	5	5	6	5	6	5	5	5	5	4
Kingdom	8	5	6	6	5	5	6	6	6	5	5
Nightlife	8	6	6	5	5	6	5	5	5	5	4
V-8	7	6	7	6	6	7	5	6	6	5	5
DC-1	7	7	7	8	7	8	7	8	7	8	7
PPG-AT 104	7	6	7	6	5	6	5	6	6	7	5
H10G-OP	7	7	7	7	7	8	7	8	7	8	8
Shark	7	6	7	6	6	7	5	6	6	4	4
Barracuda	7	7	7	7	7	8	7	7	7	7	6
PST-ORBS	7	6	7	6	5	5	5	5	6	4	4
PST-DCV6	7	6	6	6	6	7	6	6	6	6	5
LSD 0.05 ⁴	NS	1	1	1	1	1	1	1	1	2	2

Table 1. Data for the fairway height creeping bentgrass trial.

¹Quality rated on a 1 to 9 scale with 9 = best quality, 1 = worst quality, and 6 = lowest acceptable quality.

²Color rated on a 1 to 9 scale with 9 = dark, 1 = light green.

³DS is dollar spot 9 = no disease and 1 = worst.

 4 LSD = least significant difference at the 95% confidence level.