IOWA STATE UNIVERSITY Digital Repository

Iowa State Research Farm Progress Reports

2001

Intensive Rotational Grazing of Steers on Highly Erodible Land at the Adams County CRP Project, 2000

Russell Bredahl Iowa State University

Chris Nelson Iowa State University

Rick Sprague Natural Resources Conservation Service

Brian Peterson United States Department of Agriculture

John Klein National Resources Conservation Service

Follow this and additional works at: http://lib.dr.iastate.edu/farms_reports Part of the <u>Agricultural Science Commons</u>, and the <u>Agriculture Commons</u>

Recommended Citation

Bredahl, Russell; Nelson, Chris; Sprague, Rick; Peterson, Brian; and Klein, John, "Intensive Rotational Grazing of Steers on Highly Erodible Land at the Adams County CRP Project, 2000" (2001). *Iowa State Research Farm Progress Reports*. 1733. http://lib.dr.iastate.edu/farms_reports/1733

This report is brought to you for free and open access by Iowa State University Digital Repository. It has been accepted for inclusion in Iowa State Research Farm Progress Reports by an authorized administrator of Iowa State University Digital Repository. For more information, please contact digirep@iastate.edu.

Intensive Rotational Grazing of Steers on Highly Erodible Land at the Adams County CRP Project, 2000

Abstract

A steer grazing demonstration was conducted in 2000 at the CRP Research and Demonstration Project farm near Corning, Iowa. The steers were born on farms in southwest Iowa in the spring of 1999 and were purchased between February 24 and March 1, 2000, at sale barns near Corning. While still at the sale barns, the calves were vaccinated for IBR, PI3, BVD and BRSV. The steers were backgrounded at a farm near the CRP project farm until the pastures were ready for grazing. When the steers were delivered to the CRP farm on April 24, they were weighed, individually identified with eartags, injected with Dectomax[®], implanted with Revalor-G[®] and given pinkeye shots.

Disciplines

Agricultural Science | Agriculture

Intensive Rotational Grazing of Steers on Highly Erodible Land at the Adams County CRP Project, 2000

Russell BreDahl, extension field specialist, beef-forage Chris Nelson, Adams County extension education director Rick Sprague, Adams County district conservationist, NRCS Brian Peterson, grassland conservationist, NRCS John Klein, NRCS project manager

A steer grazing demonstration was conducted in 2000 at the CRP Research and Demonstration Project farm near Corning, Iowa. The steers were born on farms in southwest Iowa in the spring of 1999 and were purchased between February 24 and March 1, 2000, at sale barns near Corning. While still at the sale barns, the calves were vaccinated for IBR, PI₃, BVD and BRSV.

The steers were backgrounded at a farm near the CRP project farm until the pastures were ready for grazing. When the steers were delivered to the CRP farm on April 24, they were weighed, individually identified with eartags, injected with Dectomax®, implanted with Revalor-G® and given pinkeye shots.

On April 24, 2000, 88 yearling steers began grazing a 65-acre pasture that had been divided into 27 paddocks to facilitate rotational grazing. Except for a free-choice mineral supplement (3.03 oz. costing 5.37 cents per animal-day), pasture was the sole source of feed for the steers. The average weight of the 88 steers at the beginning of the grazing season was 613.3 lb. Steers were marketed off the pasture in two different groups. Table 1 summarizes the performance of each group and both groups together.

During the grazing trial, the 88 steers gained a total of 14,453 lb from 7,906 animal-days of grazing. The average live weight gain per animal-day was 1.83 lb, and the average live weight gain per acre was 222 lb. The average cost of live weight gain on pasture was \$61.67 per cwt. The cost per animal-day of grazing was \$1.13.

In general, two rules guided the grazing management 1) during each grazing cycle, graze no more than half the standing forage in each paddock, and 2) let each paddock rest approximately 30 days between grazing cycles. There were 94 moves from one paddock to another during the 128-day grazing season. Most of the moves (68.1%) followed only 1 day of grazing in the paddock that was being left. No paddock was ever grazed more than 3 days in succession.

Table 2 summarizes the results of the 2000 steer grazing trial and similar trials beginning in 1994 and continuing through 1999. Table 3 gives detailed information about the expenditures incurred during the demonstration.

Table 1.	Performance	by mark	et group
----------	-------------	---------	----------

Na	Days				Total		Ave.	Ave.
INO.		Days	Weight	Weight	Gain	ADG	Start Wt	End Wt
46	55	2530	30140	35220	5080	2.01	655.22	765.65
42	128	5376	23834	33207	9373	1.74	567.48	790.64
88	128	7906	53974	68427	14453	1.83	613.34	777.58
	46 42	42 128	No. Days 46 55 2530 42 128 5376	No. Days Days Weight 46 55 2530 30140 42 128 5376 23834	46 55 2530 30140 35220 42 128 5376 23834 33207	No. Days Weight Weight Gain 46 55 2530 30140 35220 5080 42 128 5376 23834 33207 9373	No. Days Weight Weight Gain ADG 46 55 2530 30140 35220 5080 2.01 42 128 5376 23834 33207 9373 1.74	No. Days Weight Weight Gain ADG Start Wt 46 55 2530 30140 35220 5080 2.01 655.22 42 128 5376 23834 33207 9373 1.74 567.48

Table 2. Summary of steer grazing project by years, 1994 – 2000

				Year				• •
Item	1994	1995	1996	1997	1998	1999	2000	Ave.
Date grazing started	4-29	5-4	5-10	5-3	5-2	4-24	4-24	4-30
Date grazing ended	11-3	9-14	10-15	10-10	8-19	8-16	8-29	9-22
Number of days grazed	188	133	158	160	109	114	128	141.4
Animal-days of grazing	9912	9975	13114	8794	8175	8664	7906	9505.7
Animal-days grazing per A	152.5	153.5	201.8	135.3	125.8	133.3	121.6	146.3
Stocking rate, steers per A	0.81	1.15	1.28	0.85	1.15	1.17	0.95	1.05
Average beginning weight	488.2	495.7	333.3	633.9	605.9	622.7	613.3	541.9
Average ending weight	731.5	647.7	488.3	842.7	808.3	829.7	777.6	732.3
Total gain	18003	11403	12872	15862	15182	15732	14453	14787
Gain per animal-day	1.82	1.14	0.98	1.80	1.86	1.82	1.83	1.61
Pounds of gain per A	277	175	198	244	234	242	222	227

Table 3. Expenditures of the 2000 steer grazing project Animal purchase

Animal purchases	
88 steers, (47,425 lbs.)	47,680.66
Vet work at sale barn	458.50
Trucking and handling	280.00
Buyer's commission	474.25
Cost to backgrounder's lot	48,893.41
Backgrounding costs	
5,147 animal-days @ \$1.00	5,147.00
Trucking to CRP farm	90.00
Total backgrounding costs	5,237.00
Total costs at delivery to CRP farm, (53,974 lbs.)	54,130.41
<u>Pasture costs (65 acres)</u>	
Land	2,943.85
Seed	201.44
Machine, & fuel	75.00
Fencing	895.87
Water	418.65
Total pasture costs	4,534.81
Other operating expenses	
Interest	1,993.76
Trucking	698.00
Pest control	549.18
Labor	430.00
Mineral supplement	424.50
Implants	104.15
Check-off	88.00
Eartags	60.54
Equipment rental	30.00
Total operating expenses	4,378.13
Grand total expenses	63,043.35
Necessary selling price per cwt., (68,427 lbs.)	92.13