

January 2015

Abstract / Article
Page 2

References
Page 11

Authors

Dr. Nasser Alaraje

Dr. Aleksandr Sergeyevev

Dr. John Reutter

Mr. Craig Kief

Mr. Bassam Matar

*The Journal of
Technology,
Management, and
Applied Engineering*©
is an official publication
of the Association of
Technology, Management,
and Applied Engineering,
Copyright 2015

ATMAE
275 N. YORK ST Ste 401
ELMHURST, IL 60126

www.atmae.org



JTMAE

The Journal of
Technology,
Management, and
Applied Engineering

Faculty Professional Development for the Next- Generation Reconfigurable Electronics Workforce

Keywords:

Professional Development,
Curriculum Development, Higher
Education, Reconfigurable
Electronics, Workforce Development,
Teaching Effectiveness, FPGA and
VHDL, Embedded Systems, K-12
Outreach

PEER-REFEREED PAPER " PEDAGOGICAL PAPERS



Dr. NASSER ALARAJE Nasser Alaraje is an associate professor and program chair of electrical engineering technology in the

School of Technology at Michigan Tech. Prior to his faculty appointment at the University, he was employed by Lucent Technologies as a hardware design engineer, from 1997 to 2002, and by vLogix as chief hardware design engineer, from 2002 to 2004.

He has served as an ABET/IEEE-TAC evaluator for electrical engineering technology and computer engineering technology programs. He also developed two certificate programs at Michigan Tech: a FANUC Robotics Industrial Certificate Program—Certified Education Robot Training (CERT)—and a graduate certificate in test engineering in partnership with industry.



Dr. ALEKSANDR SERGEEV obtained the Master degree in Physics from Michigan Technological University in

2004 and the PhD degree in Electrical Engineering from Michigan Technological University in 2007. Dr. Sergeev is currently an Associate Professor in the Electrical Engineering Technology program in the School of Technology at Michigan Technological University. Dr. Sergeev research interests include high energy lasers propagation through the turbulent atmosphere, developing advanced control algorithms for wavefront sensing and mitigating effects of the turbulent atmosphere, digital inline holography, digital signal processing, and laser spectroscopy.



Dr. John Reutter is the dean of research and planning for J. F. Drake State Community and Technical College. Reutter previous

served as acting president of Drake State, dean of instruction for Ayers State Technical College, principal investigator/project director for the Alabama Colleges for Engineering Technology Education Advancement (ACETEA), and dean of the US Air Force Immersion Education Academy. Dr. Reutter earned his BS in Applied Mathematics from California State Polytechnic University, an MS in Computer Science from Rutgers University, an MBA from the University of North Alabama, and an Ed.D. in Higher Education Administration from the University of Alabama.

Faculty Professional Development for the Next-Generation Reconfigurable Electronics Workforce

Dr. Nasser Alaraje, Dr. Aleksandr Sergeev, Dr. John Reutter,
Mr. Craig Kief and Mr. Bassam Matar

ABSTRACT

The electronics world is undergoing a transformation in the underlying technologies used to create new products for the world's consumers. The movement to reconfigurable digital systems using Field Programmable Gate Arrays (FPGAs) and microcontrollers is sweeping the electronics world in the rush to create smaller, faster, and more flexible consumer and industrial devices. J. F. Drake State Technical College has put together a team of educational partners spanning the country with the background and skills necessary to create a vibrant virtual center. The goal of this project is to provide community colleges and universities with educational equipment that is up-to-date with current technological solutions, and to offer an unprecedented opportunity to bring America's technicians directly to this cutting edge of reconfigurable electronics technology. This project will substantially update digital logic courses by providing the tools and curricular materials needed to replace the now outdated materials most commonly used. The updated curriculum will greatly enhance competitiveness for community college graduates seeking to enter the job market or undergraduate engineering programs. Additionally, the project will bring new excitement to education by introducing reconfigurable electronics with a new world of possibilities for student projects, such as robot competitions, video game design, embedded systems and more. In summary, this project will provide the training, educational resources, and promote best practices for community college, university, and high school instructors that will enable them to teach new hardware technologies to a broad range of students.

Introduction

Programmable Logic Devices in general and Field Programmable Gate Arrays (FPGA) based re-programmable logic design became more attractive as a design media during the last decade and, as a result, industrial use of FPGA in digital logic design is increasing rapidly. Considering the following technology trend in industry, the need for highly qualified logic designers with FPGA expertise is in high demand. According to the United States Department of Labor, the job outlook is on the rise and it will continue to expand for at least the short- to medium-term future (Bureau of Labor Statistics, 2014). To respond to industry needs for FPGA design skills, universities are updating their curriculum with courses in hardware description languages and programmable logic design. Although most traditional electrical and computer engineering programs have updated their curriculum to include topics in hardware description language and programmable logic design (FPGA/CPLD), only 19.5 % of 4-year and 16.5 % of 2-year electrical and computer engineering technology programs at US academic institutions



Mr. Craig Kief serves as Deputy Director of COSMIAC. Mr. Kief serves as the Lead Program Manager for the Air Force Research

Laboratory's Cubeflow training program and is a Research Scholar on the faculty at the University of New Mexico. Mr. Kief has over 32 years experience in computer and satellite communications, including voice and data networks, testing, troubleshooting, debugging, system administration, embedded software, software/hardware integration, and network monitoring. Mr. Kief has an extensive background in programmable logic involving FPGA and CPLD technologies. He has a B.S. and M.S. in Computer Engineering from the University of New Mexico. He has published and taught in the areas of digital and programmable logic, satellite design and in verification and validation of systems.



Mr. Bassam Matar is a "fun and challenging" guy who clearly gets things done and loves his work. He is a 24-year veteran engineering

faculty in the Maricopa Community College District. After 11 years of teaching, Bassam built the Engineering Program at Chandler/Gilbert Community College where he still resides. He developed courses, articulated with surrounding universities, led committees, met with industry leaders, organized events, attended conferences, and applied for grants to enhance the program for students. More specifically, his career includes service as PI or Co-PI on eight National Science Foundation funded grants. In addition, he has been a lecturer at Arizona State University for 12 years. All of the effort and collaboration has amounted to a well-established Chandler/Gilbert Engineering Program—the largest in the district. Recognitions and awards include Motorola Educator of the Year Award, the National Institute for Staff and Organizational Development Award, the 2010 Electronic Engineering Times ACE Award Educator of the Year, and the City of Gilbert Community Excellence Award for Educator of the Year.

currently have a curriculum component in hardware description language and programmable logic design (Furtner, 2006). Responding to this need, J. F. Drake State Technical College and its partner institutions (including Michigan Technological University, University of New Mexico, and Chandler-Gilbert Community College) proposed to utilize highly-qualified academic and industry-experienced resources to develop and implement technology-enabled courses scaled up to reach significant numbers of diverse instructors and students over a large geographic area. These collaborative efforts will satisfy this critical need for trained instructors and students in the technology of reconfigurable solutions.


Partner institutions will be equipped with reconfigurable electronics laboratories dedicated to delivering curriculum, faculty professional development, and K-12 outreach activities that will draw high school students into community colleges and universities engineering technology programs. This pool of highly-skilled technicians and technologists will be built and sustained by strengthening and expanding community college and university partnerships with K-12 systems, affiliate community colleges, and established industry partners.

Faculty Professional Development Workshop

Hardware Description Languages (HDL), microcontrollers and FPGAs have revolutionized the way digital logic design should be taught and implemented. Traditional ways of teaching logic design using discrete components (e.g., TTL and CMOS) have been replaced by Programmable Logic Devices. Today, a more standard development process is widely used in industry, incorporating HDL as a design entry point to describe the digital systems. In the past 20 years, electronic devices have gone from thousands of logical gates to millions of logic gates. Similarly, solutions that used to require boards full of electronics are now available through single-chip solutions.

It is clear that the old way of teaching digital electronics, with 7400 series logic gate chips, needs to adapt to the influx of new technology. Reconfigurable electronics is the most efficient and adaptable components within every embedded system. Community college and 4-year technical program graduates must be prepared to work with reconfigurable devices throughout their career, and it is imperative that they receive the proper training to draw employment opportunities back to this country. By providing a state-of-the-art learning environment, technicians and technologists can become more competitive within the workplace.

FIGURE (1): FPGA BLOCK DIAGRAM




FPGAs

FPGAs were created approximately 15 years ago by the Xilinx Corporation (Alaraje, 2012). Xilinx is still the largest manufacturer of this technology in the world (Wikipedia, 2014). FPGAs are not only programmed through a traditional schematic fashion, they are also programmed using HDL. HDL is used to describe the behavior of the circuits that are being created. Although HDLs describe nearly all advanced circuits, certain circuits can be automatically synthesized, meaning that HDL code can be rendered from a computer directly into a working design. This is particularly true of “reconfigurable logic,” which includes structured Application Specific Integrated Circuits (ASICs) and the highly versatile FPGA. Many types of FPGAs are reprogrammable, so it is possible for a talented designer to change a digital circuit with instantaneous results. Government and industry have great interest in the many uses of FPGAs; applications range from telecommunications to automotive. Additionally, FPGAs are an ideal teaching tool. They are well-suited as an introduction to the basic digital logic design skills required from today’s technician. Inexpensive FPGAs can train students in these exciting digital design concepts while allowing them to rapidly move toward advanced design subjects. All the while, students can be exposed to the latest and most useful techniques that they will encounter in industry upon graduation. FPGAs are rapidly assuming the role of the new “breadboard.” They are inexpensive enough (\$125 design board; free software) that students can have their own hardware at home (Digilent, 2015).

Figure 1 shows the basic block diagram of a FPGA [11]. The FPGA has two main components, the Input/Output (I/O) block and the Programmable Logic block. The (I/O) blocks provide formatting and interconnection to the outside world. They handle a wide range of different voltage and data formats. The programmable logic blocks are composed of three basic elements: a look-up table, a D flip-flop and the carry logic. There are hundreds of thousands of these on even the most inexpensive FPGA. Finally, the FPGA contains programmable interconnects that dynamically connect the I/O blocks to the programmable logic blocks. There are many ways to design for FPGAs. Figure 2 shows the standard design flow for working

FIGURE (4): ARM BLOCK DIAGRAM



Recent research corroborates that the VHDL and FPGA design skills are industry-relevant. In one study, Furtner and Widmer conducted an employer survey to rank currently taught logic design concepts at Purdue University. The survey included questions about many topics that are heavily explained in logic design courses such as Boolean algebra, design simplifications using K-Maps or Quince-McCluskey, and design implementation using discrete gates. Each was given a low priority from the employer perspective. In contrast, topics covering design with hardware description language (such as VHDL or Verilog) received high-priority rankings (Furtner, 2006). Another very popular form of configurable electronics systems is the microcontroller. Microcontrollers are the 'little brother' to an FPGA. These low-power systems provide a cost-effective, simpler alternative to the thousand-pin high performance processing capability of FPGAs—this less-expensive technology can be used to control smaller systems. They are often the device of choice when teaching controls courses as they are easy to understand and less complicated to work with than traditional microprocessors.

Microcontrollers

Microcontrollers are rapidly becoming one of the most exciting devices in history. The average homeowner of the future will most likely have every aspect of their home designed around them. While an FPGA can serve as a control system, every other device in the home – from lights, home electronics and appliances – will be interfaced through microcontrollers. With these tools, a homeowner will be able to log into their "home" and control every electronic

component from the convenience of their handheld device. This same analogy can be applied to cars, businesses and limitless other possibilities through the use of microcontrollers. One microcontroller can manage hundreds of sensors through a single I²C bus. A microcontroller is a small computer on a single integrated circuit, containing a processor core, memory, and programmable input/output peripherals, as shown in Figure 3. The microcontroller that the team proposes using for the courses is the TI ARM (The Cypress Corporation, 2014), which is based on an ARM processor. The ARM processor is an industry standard. I-suppli, a well-known market research firm, has confirmed that sales of ARM core processors are currently at 5 billion units per year and sales are predicted to increase as the demand for powerful, low-power electronics also increases (I-suppli, 2014; Computer Weekly, 2014). A technician's exposure to and training in this new technology is critical in order to remain competitive in the ever-changing marketplace.

The benefits that microcontrollers have over FPGAs are their small size, low power consumption, and analog capability. Figure 4 shows some of these capabilities. Microcontrollers can be mounted into everything from light switches to microwave ovens. Large, complex systems often have an FPGA as the main control system (a hub) and microcontrollers to control individual components (spokes). It is not necessary for technicians to be experts in all aspects of these two technologies; however, it is crucial for them to have at least a working knowledge of these new systems.

Course Format

All workshops were two days in duration and were taught on Friday and Saturday. This has proven over the years to be the right of time for maximum instructor training without removing instructors from the classroom longer than necessary.

The two-day faculty professional development workshop on VHDL and FPGA design was offered at Michigan Technological University in May 2013. Thirteen representatives from twelve institutions in ten states (Indiana, Illinois, Virginia, New York, California, Ohio, Michigan, North Carolina, Massachusetts, and Texas) engaged in the hands-on learning experience, working with both the software and hardware. The workshop provided faculty members from community colleges and four-year electrical engineering technology programs with the opportunity to expand their expertise in VHDL and FPGA design. The participants plan to utilize these skills to develop new courses in digital logic design, using VHDL and FPGA, at their respective institutions.

Assessment is a vital part of any curriculum reform project and helps provide useful information for workshop enhancements and determining if the workshop has met its objectives. Formative evaluation occurred during the workshop delivery and will be used to guide adjustments for subsequent workshop offerings. Embedded assessment is used to measure each workshop objective and determine whether goals are met. Assessment of the effectiveness of the faculty workshops training sessions offered is conducted anonymously using pre- and post-surveys. Assessment data collected and analyzed from the workshop will result in continuous improvement actions to be implemented in year two faculty workshops. We use a pre-test/post-test design and pre-survey/post-survey employing both direct and indirect measures of student learning. The indirect assessment instrument also included questions regarding participants' satisfaction while direct assessment instrument include a set small design problems and multiple choices problems.

Direct Measures of Student Learning

Participants were given the same instrument for the pre-test and the post-test. The average score on the pre-test was 34% correct answers. On the post-test, following the instruction, the average score rose to 68% correct answers. Overall average improvement for this group of students was 34%. It is clear that these participants made substantial progress towards mastering course concepts during the two-day workshop.

Indirect Measures of Student Learning

Workshop participants were also provided a pre-instruction and post-instruction instrument upon which they indicated their own perception of their level of awareness/proficiency with various aspects of the course before and after the instruction. In addition, on the post-instruction instrument, a series of questions regarding the quality of instruction and student satisfaction were included. On items that used a five step Likert scale with 5 labeled as "Complete Mastery" and 1 labeled as "No Mastery" the following improvement was noted from pre-instruction to post-instruction instruments.

TABLE (1): QUALITY OF INSTRUCTION PARTICIPANT'S FEEDBACK ASSESSMENT RESULTS

Quality of Instruction (5= Strongly Agree, 4=Agree, 3=Neutral, 2=Disagree, 1=Strongly Disagree)	Post-Test Overall Rate
Measurable Outcomes	
The instruction was clearly presented	4.54
Any questions I asked were properly answered	4.77
The materials provided helped me to learn	4.69
The pace of the course was appropriate for the amount of material to be learned	3.85
All things taken into consideration, I considered the instruction to be excellent	4.69

TABLE (2): PARTICIPANTS' FEEDBACK ASSESSMENT RESULTS

Measurable Outcomes (Average Scores)	Pre-Test Overall Rate	Post-Test Overall Rate	Change
Ability to implement basic constructs of VHDL	1.77	3.77	+2
Ability to implement modeling structures of VHDL	1.62	3.69	+2.08
Ability to use software tools to check the code for correctness and to correct errors	1.92	3.77	+1.85
Write synthesizable VHDL	1.92	4.15	+2.23
Control state machine Implementation	1.85	3.77	+1.92
Optimize a design using operator balancing	1.62	3.85	+2.23
Create a test bench and run a simulation	1.69	4.23	+2.54
Create a new Quartus II project	2.00	4.77	+2.77
Create design components using Megawizard	1.62	4.46	+2.85
Compile a design and view results	1.85	4.92	+3.08
Use settings and assignments to control results	1.69	4.62	+2.92
Make pin assignments and evaluate	1.77	4.62	+2.85
Use the TimeQuest timing analyzer	1.46	4.48	+3.00

For this two-day workshop, students clearly made substantial improvement in their understanding of course material as measured by both direct and indirect measures. Students were also very satisfied with the quality of instruction. Individual student improvement ranged from 11% (student had some knowledge of course material before instruction scoring 59% on the pre-test direct measure) to a 52% improvement (student scored much more poorly than chance expectations on pre-test direct measure [.07% correct] and 59% correct responses after instruction).

Outreach

The project objective is to increase enrollment in electrical engineering technology programs to create growth in the number of electronics technicians entering the workforce. Partner institutions are addressing their role toward this goal by developing and implementing outreach programs that will not only stimulate greater interest in secondary students seeking electronics technician careers, but also in better preparing secondary students for successful entry into electrical engineering programs as well as retention and completion rates in electrical engineering programs at the postsecondary level.

An outreach model has been developed and consists of three parts: (1) university articulation, (2) high school student outreach, and (3) high school curriculum and teaching enhancement. This article will focus mainly on the high school students outreach activities developed at partner institutions.

Summer Bridge in STEM Subjects for High School Students

In 2013, 80 local high school juniors and seniors participated in this 64-hour program that integrates mathematics, physics, computer science, and biology into a summer experience in the fundamentals of STEM math and science. In the programs current structure, students are organized into teams to do projects based on the principles learned during highly interactive classroom sessions. Students perform experiments, document the results of the experiments and perform presentations of their results using Microsoft Word, Excel, and PowerPoint. The students receive college credit for the Alabama Community College course in "Microcomputer Applications" which is transferable as a general education course to any college or university. The program also includes a day tour of the US Space and Rocket Center, where the students are exposed to a myriad of STEM-related, space and rocket experiments, including hands on exposure to the effects of gravity, velocity, acceleration, and energy in a variety of forms. According to participant demographics, the program accomplished its goal of reaching and a significant number of minority and female students.

STEM Camp for Adult Learners

In 2013, 40 adult learners (recent high school graduates as well as a broad age-spectrum of older adults) participated in a 64-hour program very similar to the High School Summer Bridge. The main difference is that the teaching styles employed are more applicable to the adult learner. These participants, likewise, receive college credit for the Microcomputer Applications course. The adult learners are encouraged to continue their studies in postsecondary STEM programs upon completion of their summer experience.

Ultimate Engineering Experience

Chandler-Gilbert Community College hosted a six-week summer program (Intel Ultimate Engineering Experience) for undergrads exploring engineering. The curriculum focuses on building the skills students need in the workplace such as collaboration and critical thinking as well as gaining hands-on engineering experience. To address the shortage of engineers, a number of solutions were introduced to enable students to experience 'real' engineering earlier in their academic careers. The Intel Ultimate Engineering Experience was one of the solutions. The goal of the program is to provide undergraduates a rich engineering experience, and help them understand what it is like to be an engineer. The program ran for six weeks with 106 students at the partner community college.

- **Week 1** - Entrepreneurship - Students were given a problem and experienced the process of developing a good idea and how to present it. All groups demonstrated what they learned by presenting their idea at the end of the week. All ideas had to include developing an app.
- **Weeks 2 & 3** - Coding Camp - Students learned basic coding using HTML5. Facilitators mentored students as they developed their app. All groups presented. It was amazing to see what students could do in just a couple of weeks.
- **Weeks 4 & 5** - Robotics - Students were given a robotics kit that is not even available on the market yet. They built, programmed and demonstrated their robot.
- **Week 6** - Career Mentorship - Students learned how to market themselves. They experienced defining their personal brand, building a resume, and practicing interviewing.

Conclusion

Digital systems sit at the heart of the technologies that most enrapture the young. The objectives of this project is to substantially update digital logic courses by providing the tools and curricular materials needed to replace the outdated materials most commonly used. The updated curriculum will greatly enhance competitiveness for community college graduates seeking to enter the job market or undergraduate engineering programs. The objectives of this paper were to present the first year project activities including faculty professional development and outreach activities at partner institutions. This project in its following years will provide the training and educational resources and promote best practices for community college, university, and high school instructors to enable them to teach new hardware technologies to a broad range of students, including those who have not previously had access to this level of training and career choice.

Acknowledgments

The authors gratefully acknowledge the support for this project under the National Science Foundation – Advanced Technological Education Award No. DUE-1205169.

References

1. Bureau of Labor Statistics, 2014. [Online]. Available: <http://www.bls.gov/oco/> [Accessed: 17 October, 2014]
2. Furtner R, Widmer N., (2006). "Technology Education and the new frontier of digital electronics", ASEE Annual Conference & Exposition (ASEE 2006), June 2006
3. Alaraje, N. , Sergeev, A. V., (2012) " Professional Development Opportunity for Electrical Engineering Technology Educators in VHDL and FPGA design "2012 ASEE Annual Conference & Exposition Proceedings", San Antonio, Texas.
4. J. Jaeger, (2007). "FPGA-based prototyping grows up," EE times, Dec 2007.
5. Semiconductor logic markets, "FPGA market will reach \$2.75 billion by decade's end," 2006. [Online]. Available: <http://www.instat.com/press.asp?Sku=IN0603187SI&ID=1674>. [Accessed: October 17, 2014]
6. www.salaries.com, [Accessed: 17 October, 2014]
7. The Cypress Corporation 2014. [Online]. Available: <http://www.cypress.com/?id=1353>. [Accessed: October 17, 2014]
8. ISUPPLI, "ARM Processors to Ship in Nearly One-Quarter of Notebook PCs in 2015", [Online]. Available: <http://www.isuppli.com/home-and-consumer-electronics/news/pages/arm-processors-to-ship-in-nearly-one-quarter-of-notebook-pcs-in-2015.aspx>. [Accessed: October 17, 2014]
9. Computer Weekly Website. "Chip maker ARM boosts profits by 44%". [Online]. Available: <http://www.computerweekly.com/news/2240106620/Chip-maker-ARM-boosts-profits-by-44>. [Accessed: October 17, 2014]
10. Wikipedia, Xilinx largest market share, 2014. [Online]. Available: http://en.wikipedia.org/wiki/Field-programmable_gate_array [Accessed: October 17, 2014]
11. Spartan-6 Family Documentation Overview, 2014. [Online]. Available: http://www.xilinx.com/support/documentation/data_sheets/ds160.pdf [Accessed: October 17, 2014]
12. Digilent, 2015. [Online]. Available: <http://www.digilentinc.com/> [Accessed: January 13, 2015]