

Index

- Abies*, leaf of, 147
Acer
 stem, mature of, 136
 stem, tip of, 128
Acetocarmine, smears, 106
Acetone, for dehydration, 24
Acorus calamus, root of, 140
Adhesives, for sections, 51
Agaricales, 159
Agropyron, rhizome of, 133
Albugo, 154
Alcohol
 dehydration with, 22
 isopropyl, 24
 normal butyl, 27
 tertiary butyl, 27
Algae
 collecting of, 6
 preparation of, 149
Allium, root tip of, 122
Angiospermae, reproductive organs of, 169
Anthoceros, 161
Ascomycetes, 155
Asparagus
 root of, 138, 140
 stem of, 133-34
Aspergillus, 155
Asplenium, sporangia of, 167

Bacteria, 152
Bacterium stewartii, 152
Balsam, Canada, 64
Basic fixation, formula for, 20
Basidiomycetes, 157
Botrychium
 gametophytes of, 166
 root of, 142
 sporangia of, 166
Bouin's fluid, 18
Bromus, stem apex of, 124
Bryophyta
 collecting of, 6
 processing of, 161

Cameras, photomicrographic, 204-11
Cannabis sativa, stem of, 132, 135
Capsella, embryo of, 178
Carex, stem of, 133
Carmine, (*see* Acetocarmine)
Carnoy's fluid, 19
Carya, stem of, 136
Catherinia, 161
Celloidin method, 78
Cercospora beticola, 161
Chara, 151
Chenopodiaceae, stems of, 135
Chrome-acetic, formulas, 16
Chrysanthemum, stem of, 134
Citrus, leaf of, 145
Clavariaceae, 160
Claviceps, 157
Clearing agents, 25, 61
Coleus, stem apex of, 127
Collecting, for processing, 5
Condensers, for microscope, 191-94
Conocephalum conicum, 161
Coprinus, 160
Cordyceps, 157
Crocus, root tip of, 122
Cruciferae, roots of, 142
Crystal violet, (*see* Gentian violet)
Cucurbitaceae, stems of, 134
Cystopus, 154

Dactylis, stem apex of, 124
Dehydration
 for embedding, 22
 of reagents, 29
Dianthus, leaf of, 145
Dioxan, for dehydration, 28
Diplodia zeae, 160

Embryos, 176
Emulsions, for photomicrography, 213
Equisetum
 gametophytes of, 166
 root, stem of, 143
 strobilus of, 166

- Erigeron*, stem of, 134
Erysiphe, 156
 Ethanol, (*see* Alcohol)
Euphorbia, leaf of, 146
Exoascus, 157
Exobasidium, 160
 Exposure meters, 213
- Farmer's fluid, 19
 Ferns
 gametophytes of, 167
 rhizome, root of, 142
 sporangia of, 167
 Feulgen method, 108
Ficus, leaf of, 146
 Filicales, 167
 Fixatives, (*see* Adhesives)
 Fixing, (*see* Killing)
 Flemming's fluid, 16
 Flemming's, triple stain, 71
 Floral organs, collecting for processing, 6
Fomes, 160
Fraxinus, stem of, 136
 Freehand sections, 91
 Freezing microtome, 93
 Fruits, 176–81
Fucus, 151
Funaria, 161, 163
 Fungi
 collecting of, 6, 7
 imperfecti, 160
 processing of, 151
- Gentian violet-iodine, staining process, 75
Ginko, leaf of, 147
Gladiolus, root tip of, 122
Gleditsia, stem of, 136
Gloeocapsa, 150
 Glycerin
 for dehydration, 24
 jelly, 102
Glycine
 leaf of, 111
 root of, 140
 stem of, 130
 stem tip of, 127–28
- Gramineae
 leaves of, 146
 root tips of, 139–40
 stems of, 133
 Gymnospermae
 reproductive organs of, 167
 stems of, 136
Gymnosporangium, 159
- Hedera helix*, leaf of, 146
Helianthus, stem of, 134
 Hemalum
 formulas, 57
 staining process, 61
- Hematin, 58
 Hematoxylin
 iron-alum, 73
 self-mordanted, 57
Hyacinthus, root tip of, 122
 Hydnaceae, 160
Hypomyces, 157
- Illuminators, 211
Iris, leaf of, 147
Isoetes
 gametophytes of, 166
 root, stem of, 143
 sporangia of, 166
- Killing (Fixing)
 formulas, 15, 16, 18, 19, 20
 process, 14
 reagents, 12
- Lactophenol, 102
 Leaves, collecting for processing, 5
 coniferous, 147
 dicot, 143–46
 monocot, 146
 specific methods for, 143
Lichens, 161
Lilium
 embryo of, 177
 floral organs of, 169–75
 ovary of, 114–15
 root tip of, 122
Linum, root of, 142
Liriodendron, stem tip of, 127
Lonicera, stem tip of, 127
Lotus corniculatus, embryo of, 177, 180
Lycopersicum esculentum
 embryo of, 177, 178
 stem of, 131
 stem tip of, 127
Lycopodium
 gametophytes of, 165
 root, stem of, 142
 sporangia of, 165
- Maceration, of tissues, 109
 Maize, (*see* *Zea*)
Marchantia, 161–63
Matthiola
 embryo of, 178
 floral organs of, 169
Medicago
 stem of, 112, 130
 tap root of, 142
Melampsora, 159
Melilotus, tap root of, 142
 Microchemical tests, 96
 Micrometry, 197

- Microprojection, 198
 Microscope
 illumination systems for, 191–94
 mechanical features of, 194–97
 optical system of, 182–91
Microsphaera alni, 156
 Microtome
 rotary, 45
 sliding, 85
Mnium, 161, 163
 Molds, for casting, 34
Morchella, 157
Mucor, 153
 Myxomycetes, 153

Narcissus, root tip of, 122
 Nawaschin, formulas, 18
Nectria, 157
Nereum oleander, leaf of, 145
Neurospora, 157
Nitella, 151
Nostoc, 150

 Oleander, (*see Nereum*)
Onoclea, sporangia of, 167
Oomycetes, 154
 Ophioglossales, 166
 Orcein, 60, 106
Oscillatoria, 150

 Paraffin
 embedding compounds, 33
 infiltration in, 35
 properties of, 31
Pellia, 163
Penicillium, 155
Peronospora parasitica, 155
Peziza repanda, 157
Phaseolus
 apical meristems of, 125
 root of, 140
 Photomicrography, 202–19
 Phycomycetes, 153
Phytophthora, 154
Picea, leaf of, 147
Pinus
 gametophytes of, 168
 leaf of, 147
 stem of, 136
 strobili of, 168
Pisum
 apical meristems of, 125
 root of, 140
Plasmodiophora brassicae, 154
Podosphaera oxycanthae, 156
Polygonatum biflorum, leaf of, 147
 Polyporaceae, 160
Polytrichum, 161, 163
Populus, stem of, 136

Porella, 163
 Propionic acid, 106
Prunus
 fruit of, 181
 leaf of, 111
Pseudopeziza medicaginis, 157
Pseudotsuga, leaf of, 147
 Pteridophyta
 gametophytes of, 167
 sporangia of, 167
Pteris, rhizome, root of, 142
Puccinia
 coronata, 159
 graminis, 158
Pyronema confluens, 157
Pyrus
 root of, 140
 stem of, 136
Pythium, 154

 Quadruple stain, 73
 Quintuple stain, 73

Ranunculus, root of, 142
Reboulia hemisphaerica, 161
 Resins, mounting, 65, 104
Rhizopus, 153
Rhodobryum, 161, 163
Rhoeo, leaf of, 147
Riccia, 161
Rivularia, 150
 Roots
 collecting of, 6
 monocot, 138
 specific methods for, 138
 tips of, 121
 Rubber plant, leaf of, 146
 Rusts, 159

 Safranin
 as a counterstain, 67
 with fast green, 69
 properties of, 60
 in triple stain, 71
Sambucus, stem tip of, 127
Saprolegnia, 154
Sarcoscypha coccinea, 157
 Schizomycetes, 152
Sclerotinia fructigena, 156
 Seeds, 176
Selaginella, root, stem of, 143
Smilacina racemosa, leaf of, 147
Smilax,
 root of, 140
 stem of, 134
 Smuts, 158
Soja; *see Glycine*
 Solanaceae, stems of, 134–35
Solanum tuberosum, stem tip of, 127
Sphagnum, 161

- Stains
 selectivity of, 60
 solubilities of, 59
- Stems
 collecting and subdividing of, 6
 gymnosperm, 136
 herbaceous dicot, 134–35
 monocot, 133–34
 tips of, 123
 woody, 135–38
- Synchytrium decipiens*, 154
- Syringa*, stem tip of, 127
- Tannic acid-Ferric chloride process, 76
- Taphrina*, 157
- Thallophyta, 149
- Tilia*
 stem of, 136–37
 stem tip of, 127
- Tilletia tritici*, 158
- Tradescantia*
 leaf of, 147
 microsporocytes of, 174
- Tremellales, 159
- Trifolium hybridum*, stem of, 131
- Tsuga*, leaf of, 147
- Tulipa*
 floral organs of, 169
 root tip of, 122
- Typha*, stem of, 133
- Uncinula salicis*, 156
- Uredinales, 158
- Urnula*, 157
- Ustilago*, 158
- Vaucheria*, whole mounts of, 105
- Venetian turpentine method, 104
- Venturia inaequalis*, 157
- Vicia faba*
 root of, 140
 root tip of, 123
- Volvox*, whole mounts of, 105
- Waxes, water-soluble, 95
 (see also Paraffin)
- Whole mounts, 99
 acetocarmine, 106
 permanent, 103
 semi-permanent, 102
 temporary, 102
- Wood
 sectioning in celloidin, 78
 sectioning unembedded, 92
 softening of, 84
- Zea*
 kernel and embryo of, 179
 leaf of, 146
 root of, 123
 root tip of, 122
 stem (mature) of, 133
 stem apex of, 128
- Zebrina*
 leaf of, 146
 root tip of, 123
 stem of, 133
- Zygomycetes*, 153